



**STRONG PARTNERS.  
TOUGH TRUCKS.™**

## **PLATFORM PALLET TRUCK P2.0-3.0S SERIES**

**[WWW.HYSTER.COM](http://WWW.HYSTER.COM)**

# SMALL SPACE. BIG PERFORMER.

In tight spaces, narrow aisles and congested environments, the **new Hyster® P2.0-3.0S Series Platform Pallet truck delivers agile performance.**

Impressive acceleration up to 13km/h unladen and 9.7km/h laden\*, combined with progressive speed reduction, allows operators to move loads quickly and efficiently. Easily switching from pedestrian to ride-on mode with the foldable operator platform, increases productivity. 85mm forks come as standard across the range, but using the optional low profile 75mm forks allows the P2.0-3.0S Series to pick up low entry loads with ease. The wide forks option allows up to three Europallets crosswise to be easily transported. So you can make light work of the busiest warehouse operation.



\*9.7km/h acceleration speed for the 2.0T and 2.5T trucks and 9.1km/h for the 3.0T model when laden.

# GREATER PRODUCTIVITY, WITHIN EASY REACH.

## TAKE CONTROL WITH THE ERGONOMIC TILLER HEAD.

**We believe in extending the flexibility of our trucks, not your operators.**

By reducing the distance between the grip handle and control button, the new tiller head design puts greater productivity within everyone's reach. (Available as fixed or adjustable as an option on the foldable platform model).

Different operators mean different settings. To save valuable time, the optional adjustable tiller can be easily adjusted to the most comfortable position, simply by pushing the feature activation button.

## LOWER LIFETIME COSTS. HIGHER UPTIME PRODUCTIVITY.

**Save on time, costs and maintenance.** Smart speed limitations enable the operator to choose the optimum productivity settings for each individual application. While quick-change batteries reduce downtime. Increased fork visibility limits the risk of damage to both the truck and goods. And long 1000h service intervals and a 24 months warranty provide peace of mind.



# SEE THE DIFFERENCE.

The clear, multi-function dashboard display shows everything from **performance levels and battery discharge to status and warnings.**



## MAKING SPACE FOR GREATER COMFORT.

In a hectic warehouse, there's no room for error. **So, we made our cushioned operator platform larger for maximum comfort and productivity.** High, foldable side arms provide greater stability when manoeuvring. Precise electric Fly-by-Wire Steering minimises operator fatigue to maximise productivity.

For safety, an Operator Presence switch function prevents the truck from operating with no driver present. The new design side arms, side and rear protection has been developed to make the P2.0-30S Series more robust.





# GOING FURTHER.

Choose from an extensive range of options **to tailor your truck to your operation.**

## OPTIONS:

- Forks of varying length and width
- Coasting function
- Hyster lift
- Platform lights
- Working light package
- Soft lowering
- Lateral battery extraction
- Cold store -30°C
- Single load wheels are available
- Roller-bed changeover for battery change
- Foot sensor



TWO FORK HEIGHTS



LOAD BACKREST



PEDESTRIAN AWARENESS LIGHTS




ADJUSTABLE SCOOTER CONTROL



FIXED REAR PROTECTION  
WITH SIDE ACCESS (VIA SPECIAL ORDER)



FIXED SIDE PROTECTION  
WITH REAR ACCESS



\*Available on models with fixed platform and rear/side protection.


# A BETTER PERFORMER, ALL ROUND.



**New side arms design**  
(moving upwards, to improve productivity, and more robust to reduce maintenance costs)




**Reduced distance between the grip handle and control buttons.**



**Suspended Motor Drive Unit (MDU)**

■ **A full range of power options is provided by the choice of batteries**



■ **Two fork heights**  
(standard 85mm and low profile 75mm for disposable pallets)  
**and range of lengths**

**New platform**  
(foldable and fixed)



■ **Wide capacity range**  
(2.0T to 3.0T)



■ **Heavy-duty NDlithane tandem load wheels and rollers with grease points and sealed bearings are fitted as standard**

- **AC technology**
- **Progressive speed reduction according to the actual truck weight**
- **Improved performance by increased capacity of hydraulic power unit**



# HYSTER® DEALERS

Contact your nearest Hyster® Dealership  
by visiting [www.hyster.com](http://www.hyster.com)



## HYSTER PACIFIC

1/23 Rowood Road, Prospect NSW 2148  
Tel: +61 (2) 9795 3800 Fax: +61 (2) 9792 8484

## HYSTER ASIA

16 Tuas Avenue 20, Singapore 638827  
Tel: +65 6863 3387 Fax: +65 6863 3349



/Hysterasiapacific



HysterAPIC



Hyster Asia-Pacific